

*This article was brought to you by Hpathy.com!
When you think Homeopathy, think Hpathy! <http://www.hpathy.com>*

Homeopathic Archives

*This article was brought to you by Hpathy.com! When you think Homeopathy, think Hpathy.com - Homeopathy 4 Everyone!
<http://www.Hpathy.com>*

Proving of Polymnia uvedalia

-- C. M. Boger



April 16, 1897. Mr. J. taking three drops of mother tincture every four hours.

April 20. No result. Takes fifteen drops every three hours. April 24. Constipated, no motion of bowels for five days. Appetite less.

Many amorous dreams of attempts at coition, but always awakens before accomplishing anything; at other times a sudden aversion seizes him and he desists.

Dose now increased to twenty drops every three hours.

May I. Brown, diarrhoeic stool yesterday evening, mushy stool. Aching in left hypogastric region, with necessity to bend forward; if he straightens up, the pain is transferred to region of the left sacro-sciatic foramen.

This morning has aversion to beef, it causes a bad feeling in the stomach.

Eats bacon now with impunity, it formerly hurt him.

Onions and corn bread now agree, also, but formerly disagreed.

Now takes a dose of the third decimal potency every three hours.

May 3. Constant hot pain and soreness about two inches above tip of coccyx, seems to be in bone, from whence it extends straight through to pubic bone, where it is of an aching nature; it is worse from turning over in bed; the only time it is easy is in morning on first rising, it gets worse towards noon, it compels him to walk bent over, is worse in

afternoon; if he straightens out the affected part seems strained.

Restless; can't sleep.

To take a dose of the third potency every two hours.

May 6. First part of stool hard, then yellow liquid.

Aching in small of back, worse morning and mid-day.

Excessively foetid flatus.

Urine scanty and red.

No appetite for two days.

Sticky taste in mouth.

Very irritable.

To take a dose of the sixth potency every four hours.

May 10. Bitter, bad taste.

No desire for sleep before 2 A. M., with restless feeling.

Anorexia.

Scanty urine.

Dull, miserable feeling in stomach, with crossness.

